


Track Components & Accessories





luxio
LIGHTING

www.luxio-lighting.com



Embedded Components

Track Components



Model No.	Dimension (Suitable for 12.5mm ceiling)
LX-GR-25-500(Power section)	L500*W116*H71mm
LX-GR-25-1000(Power section)	L1000*W116*H71mm





Model No.	Dimension (Suitable for 12.5mm ceiling)
LX-GR-25-500(Splicing section)	L500*W116*H71mm
LX-GR-25-1000(Splicing section)	L1000*W116*H71mm



Model No.	Dimension (Suitable for 12.5mm ceiling)
LX-GR-25C-500(Power section)	L500*W116*H71mm
LX-GR-25C-1000(Power section)	L1000*W116*H71mm



Model No.	Dimension (Suitable for 12.5mm ceiling)
LX-GR-25C-500(Splicing section)	L500*W116*H71mm
LX-GR-25C-1000(Splicing section)	L1000*W116*H71mm




Accessories

Model No. : LX-GR-251 Horizontal Corner: 90° corner between the same plane. (Suitable for 12.5mm ceiling)	Model No. : LX-GR-252 Vertical Corner : 90 degrees between different planes, such as walls to ceilings.(Suitable for 12.5mm ceiling)	Model No. : LX-GR-253 External Corner : 90 degree corner between different planes, such as the corner of the surface of a square column. (Suitable for 12.5mm ceiling)	Model No. : LX-GR-25-01 M-Track Recessed Profile Feed-In Kit
Model No. : LX-GR-251C Horizontal Corner: 90° corner between the same plane. (Suitable for 9.5mm ceiling)	Model No. : LX-GR-252C Vertical Corner : 90 degrees between different planes, such as walls to ceilings.(Suitable for 9.5mm ceiling)	Model No. : LX-GR-253C External Corner : 90 degree corner between different planes, such as the corner of the surface of a square column. (Suitable for 9.5mm ceiling)	Model No. : LX-GR-25-02 M-Track Recessed Profile End Cap Model No. : LX-GR-25-04 Assembly tool-Allen wrench


Suction Top Mounting Components

Track Components

Model No.	Dimension
LX-GS-25-1000(Power section)	L1000*W28*H88mm
LX-GS-25-2000(Power section)	L2000*W28*H88mm




Model No.	Dimension
LX-GS-25-500(Splicing section)	L500*W28*H88mm
LX-GS-25-1000(Splicing section)	L1000*W28*H88mm
LX-GS-25-2000(Splicing section)	L2000*W28*H88mm




Model No.	Instructions
LX-GS-251	Horizontal Corner: 90° corner between the same plane

Accessories


Model No.	Instructions
LX-GS-251	Horizontal Corner: 90° corner between the same plane



Model No.	Instructions
LX-GS-25-01	M-Track Recessed Profile Feed-In Kit



Model No.	Instructions
LX-GP-25-01	M-Track Recessed Profile End Cap



Hoisting Components





Track Components

Model No.	Dimension
LX-GP-25-500(Power section)	L500*W28*H88mm
LX-GP-25-1000(Power section)	L1000*W28*H88mm
LX-GP-25-2000(Power section)	L2000*W28*H88mm
LX-GP-25-2500(Power section)	L2000*W28*H88mm

Model No.	Dimension
LX-GP-25-500(Splicing section)	L500*W28*H88mm
LX-GP-25-1000(Splicing section)	L1000*W28*H88mm
LX-GP-25-2000(Splicing section)	L2000*W28*H88mm
LX-GP-25-2500(Splicing section)	L2000*W28*H88mm

Model No.	Dimension
LX-GP-25-2000Glowing above(Power section)	L2000*W28*H88mm
LX-GP-25-2500Glowing above(Power section)	L2500*W28*H88mm

Model No.	Dimension
LX-GP-25-2000Glowing above(Splicing section)	L2000*W28*H88mm
LX-GP-25-2500Glowing above(Splicing section)	L2500*W28*H88mm



Accessories

Model No.	Instructions
LX-GS-251	Horizontal Corner: 90° corner between the same plane

Model No.	Instructions
LX-GP-25-01	M-Track Recessed Profile End Cap

Model No.	Instructions
LX-GP-25-02	M-Track Recessed Profile Feed-In Kit

